

Small when you leave. Room when you return.

A three-season cabin direction, with customer choices for services, future growth and winter customization.



Closed footprint target	Complete compact	Family study
7'6 in x 9'6 in / 71.25 sq. ft.	295 sq. ft. / 2-4-person target	683 sq. ft. / 4-6-person target

Choose on-grid, off-grid or a combination. Start with a suitable site of your own, or ask about the initial property programme roughly one hour west of Edmonton.


Explore the live cabin and opening animation

Compare floor area with overall extent.

The empty corners remain outdoors. All dimensions, layouts and capacities are concept targets, not production specifications.

Complete compact

18 ft overall width




26 ft overall length / 7.5 x 9.5 ft core



Completed cabin appearance

Family / separate longer-wing study

43.5 ft overall width



45.5 ft overall length / 7.5 x 9.5 ft core



Appearance study

Configuration	Overall open extent	Gross cross floor	Capacity target
Closed storage	7'6 in x 9'6 in; 8 ft stowed height	71.25 sq. ft.	Unoccupied storage
Complete compact	18 x 26 ft	294.75 sq. ft.	2-4 people
Family	43 ft 6 in x 45 ft 6 in	683.25 sq. ft.	4-6 people
Lightweight study	18 x 26 ft	294.75 sq. ft.	2-person baseline; separate structure

First fold. Then glide farther.

The present animation shows one complete compact opening. A separately purchasable modular base remains a development idea.

Closed

7.5 ft overall width




Raised-roof reference

9.5 ft overall length / 7.5 x 9.5 ft core

Fold-out stage

13.5 ft overall width




Completed cabin context

18.5 ft overall length / 7.5 x 9.5 ft core

Complete compact

18 ft overall width



Complete cabin reference


26 ft overall length / 7.5 x 9.5 ft core

Closed core	Four fold-out wings	Four glide-out extensions
71.25 sq. ft. / no sleeping capacity	195.75 sq. ft. / 13 ft 6 in x 18 ft 6 in overall	Add 99 sq. ft. / reach 294.75 sq. ft.
Roof can be lowered for transport. Raised on-site peak target: 10 ft.	N/S floors project 4 ft 6 in; E/W floors project 3 ft.	N/S add 3 ft 9 in; E/W add 2 ft 3 in.

Opening: position and level; support and unfold floors; extend glide-outs; erect and lock ribs; tension the enclosure; deploy furniture. **Reverse:** stow furniture; dry and sleeve the enclosure; fold ribs; retract glide-outs; raise floors; secure closures. Actual locks, crew size and timing need prototype validation.

Keep the services central. Give the rooms their space.

Illustrative furnishings and materials; the technical layout controls dimensions, not the perspective rendering.



A concentrated core

Kitchen, bathroom and storage stay together. The kitchen unfolds toward the north wing; south remains the entry/lounge direction.

Sleeping and gathering

East/west sleeping spaces and north/south shared spaces form the complete compact layout. The 2-4-person capacity is a target.

A place for every component

Folding furniture and deflated bedding occupy latched racks while the cabin is closed and unoccupied. Ribs and dry enclosure sleeves need assigned space beside the floor cassettes.

The proposed 196 sq. ft. modular base needs its own weather-tight enclosure, furniture layout and sleeping-capacity assessment. A glide-out kit must include floor, supports, roof/enclosure parts, seals and a packing solution. It is not simply another floor panel.

See the floor stages and interior controls online

One cottage body. Six ways to make it yours.

Original Cottage plus five curated appearance themes. Renderings are not finished products or a verified sales ranking.



Original Cottage



Nordic Black



Modern Farmhouse



Cedar Contemporary
Compare the exterior looks on the website



Forest Craftsman



Lakeside Blue

Three-season standard. More options by design.

The commercial aim is customer choice. Winter performance, retrofit compatibility and manufacturing savings still need evidence.

Three-season standard

Keep weatherproofing, suitable insulation and safe utilities in the base. Define operating limits for the intended location. The closed cabin must also withstand its actual storage-site weather.

Optional winter customization

Develop insulation, heating, ventilation, moisture control and protected water systems as a combined package. Factory specification is the first route; later onsite installation needs prepared interfaces and a proven method.

Buy more space later

Study a complete four-fold-out base with glide-out depth kits added over time. Reserve rail, attachment, seal and storage space before freezing the base design. No base or kit price has been assigned.



Winter appearance study. Heated area, layout and sleeping capacity remain unassigned. One promising trial is a smaller heated zone around the core with unused wings closed.

On-grid, off-grid or mixed: select services around the site and intended stays. Solar/battery, potable water and wastewater need equipment sizing and servicing. Untreated rain collection stays separate from potable supplies.

Partial-opening combinations and later-purchased modules are different capabilities to validate. The larger Family study is not automatically a compatible compact upgrade.

Choose your setting. Understand the whole cost.

Individual cabin ownership is the retail offer being developed; cabin and land arrangements are distinct.

Our first region: the owner has confirmed 10 properties owned or under care/control roughly one hour west of Edmonton. They include field and wooded settings, with some views of Wabamun Lake. Individual placements, access, availability and terms are being assessed.

Comfort direction	Current CAD development target	Scope
Everyday Escape	\$30,000	Complete compact three-season direction; equipment scope to develop
Stay a Little Longer	\$50,000-\$60,000	Complete compact with upgraded comfort/finishes/equipment scope to develop
Other choices	Pricing to develop	Family, Lightweight, proposed modular base/kits and winter customization

Land, delivery, setup, taxes, financing and ongoing services are separate unless a future written offer includes them. These figures are targets awaiting supplier quotations, not available selling prices.

A walk or permitted golf-cart ride from parking could be part of the visitor experience on a suitable site. First placement and continuing maintenance still need access. No particular site, setup date or financing approval is promised by an enquiry.

Tell us your region, season and cabin priorities

Bring your priorities. We will develop the details.

An enquiry prepares an email for you to review and send. It does not order a cabin, reserve a plot or apply for credit.

People and space

Choose the complete compact or Family direction; tell us how many people and which spaces matter. Future modular-base and winter capacities are still being studied.

Season and services

Describe when you plan to visit, the site services available and the comfort equipment you want. Winter is a customization preference, not a separate size.

Your site or our first region

Choose west of Edmonton, lake-view interest, your own location or another region. Open footprint, support positions, delivery/service access and local requirements need a site-specific check.

Small closed size

The 71.25 sq. ft. closed-envelope target is a physical size, not a general shed or permit exemption. Occupied use, open dimensions, utilities and local rules must be considered.

Source notes: geometry comes from the project's v2 dimensional study; later modular and seasonal decisions are September 12 owner directions. Regional properties are owner-confirmed. Images are existing project visualizations. No physical validation or new customer test is claimed.

Edmonton small-building guidance

Toronto shed rules: storage-only conditions

Manufacturer example: winter systems together

A kitchen and washroom of your own.

Compact, high-quality interior directions. These images do not establish fixture dimensions or appliance clearances.



Kitchen: compact sink, cooking and refrigeration choices beside the dining wing. Supply equipment with the cabin, bring compatible appliances, or choose a mix.



Washroom: compact toilet, fold-away basin and wet-room shower direction. The wet-core allocation is about 34 x 56 inches. Smaller fixtures, coordinated access and service clearances are needed; the render shows appearance only.

Air-filled comfort. A lighter way to settle in.

Inflatable seating and mattresses with removable covers; folding tables and support components where needed.



The intent is to deflate, dry, bag and restrain the soft furniture inside the central cube while the cabin is closed and unoccupied. The pictured sofa, chair and pouf layout is not fit-checked within the 7 ft 6 in gross wing; fewer or smaller pieces may be required. A measured packing trial is needed. Styling objects shown here are not automatically supplied.

Dining and living, with the forest beyond.

Concept portal viewpoints, not a continuous panorama or a surveyed property orientation.



North / dining wing



South / lounge and entry

Imagine a suitable woodland site with a path from parking, rather than a parking lot outside the window. Delivery and continuing service access still need planning for the actual location.

Wake up beside the trees.

Concept portal viewpoints, not a continuous panorama or a surveyed property orientation.



East / sleeping wing




West / sleeping and reading

Imagine a suitable woodland site with a path from parking, rather than a parking lot outside the window. Delivery and continuing service access still need planning for the actual location.

Four open wings. One protected storage state.


Left: packing appearance; roof/brim lowering and stowed ribs, skins and glides are omitted. Right: proposed stages to prototype.



The last image panel has its roof raised and entry open: it is not the transport or locked-storage state. First deflate and bag furniture; dry and sleeve the enclosure; fold the ribs; retract glide-outs; raise the floor assemblies into perimeter cassettes; secure closures. Keep the fixed bathroom and service blocks clear. Exact sequence and moving-part clearances still need physical proof.

A place for the furniture and the folded arms.

Soft-goods storage concept. Floor/rib/skin cassettes are not legible here; full packing fit and water/electrical separation are unproved.



Soft goods: deflated furniture and dry bedding in restrained bags; folding table/supports in assigned racks.

Moving structure: glide floors, hinged floors, ribs and dry skins remain in perimeter storage around the core.

Services: keep dry electrical storage partitioned from water equipment, and maintain service access.

Winter storage: prepare water systems, batteries and other equipment using their selected manufacturers' storage instructions. Closing the shell alone does not winterize plumbing.

Transport goal: small-trailer delivery and positioning by one or two people without heavy lifting equipment on suitable sites. Loaded mass, route, handling aids and unloading must be demonstrated before this becomes an operating claim.

Power, heat and water.

Researched equipment categories. No brand is selected, and custom accessories are not automatically included in price targets.

Solar and battery power - Solar panels, LiFePO4 battery storage, controller, inverter/charger, shore-power connection and monitoring. Roof or removable ground-panel choices need an energy and shade assessment; dense woods may need panels in a sunnier nearby location.

Renogy cabin solar kit / manufacturer example

Heat, hot water and ventilation - Cabin heating, hot water, extraction fans, ventilation and optional seasonal insulation. Select a matched system for the location, energy supply and venting. An equipment choice is not a four-season rating.

Truma combined furnace and water heater / manufacturer example

Fresh water and pumping - Potable-water tank, fill hose, pressure pump, taps and an appropriate treatment option. Tank capacity, pump fit, drainage and maintenance access must be chosen together.

Pentair Shurflo RV pump / manufacturer example

Rain collection and storage - Removable gutters, debris screening, first-flush diversion and a rain tank or flexible storage bag. Untreated rainwater stays separate from potable water. A first-flush diverter is not drinking-water treatment.

Rain Harvesting first-flush systems / manufacturer example

Choose your equipment interests online

Waste, kitchen and everyday comfort.

Researched equipment categories. No brand is selected, and custom accessories are not automatically included in price targets.

Wastewater: connected or self-contained - Explore a site septic/sewer connection where available, or a cassette/holding or waterless toilet arrangement with greywater containment. A site septic system is a separate site installation. No-septic-connection options still need appropriate toilet and greywater servicing.

Nature's Head toilet installation options / manufacturer example

Your kitchen essentials - Compact fridge/freezer, sink, cooking appliance, lighting, storage and small kitchen accessories. Appliance dimensions, electrical load and any fuel/venting requirements must fit the chosen package.

Dometic portable fridge/freezer / manufacturer example

Furniture that packs away - Inflatable mattresses, air-filled seating and poufs with removable fabric covers, plus a folding table, pump, repair kit and dry storage bags. The design goal is to deflate and stow soft furniture inside the unoccupied central cube. Actual items and packed fit still need testing.

Intex inflatable furniture example / manufacturer example

The finishing touches - Insect screens, privacy and blackout panels, task lighting, USB outlets, entry steps, storage organizers and appropriate safety equipment. Choose factory-supplied items, your own compatible accessories, or a mix. Final inclusions and installation responsibilities will be written down.

Choose your equipment interests online